CANDY



CBD 485D1E/1-S

- ✓ D Class

| | |
|---|---|
| / | CBD 485D1E/1-S |
| | 31800949 |
| EAN | 8059019022284 |
| | Candy Hoover Group S.r.l. |
| () | 8 |
| () | 5 |
| (rpm) | 1400 |
| / | |

| | |
|---|---|
| IoT App | None |
| | |
| | 2 digit display with timer |
| | |
| | AC |

| | |
|---|---|
| (V) | 220-240 |

| | |
|---|---|
| Woolmark Approved | |
| | 15+1 |
| | Yes (up to 24h) |
| Autodose | |
| | |

| | |
|---|---|
| | |
| / | |

| | |
|---|---|
| Spin-drying efficiency class | B |
| Energy Efficiency Class EEIw | D |
| Energy Efficiency Class EEIwd | E |
| Weighted energy consumption [100 cycles W] | 73 |
| Weighted energy consumption [100 cycles WD] | 326 |
| Eco 40-60 Duration Full | 218 |
| Wash&Dry Duration Full | 440 |
| EN 60704-3 | 77 |
| Airborn acoustical noise emission class | C |
| Water consumption washing | 44 |
| Water consumption W+D | 75 |

| | |
|---|---|
| | 540 |
| (mm) | 820 |
| (mm) | 570 |

| | |
|---|---|
| (mm) | 875 |
| (mm) | 650 |
| | 600 |
| Cabinet depth mm (without pipes and door) | 470 |
| () | 65 |
| () | 67 |