



CVG6PX LPG

- ✓ Cast iron grids
- ✓ Knobs Control
- ✓ Tempered glass

| MAIN FEATURES | |
|--------------------------------|---------------------------|
| Product name / Commercial code | CVG6PX LPG |
| Product code | 33803230 |
| EAN Code | 8059019066349 |
| Manufacturer | Candy Hoover Group S.r.l. |
| Number of zones | 4 |
| Type of cooktop | Gas on glass |

| TECHNICAL FEATURES | |
|-------------------------------|---------------------------------|
| Connectivity | None |
| loT App | None |
| Voltage (V) | 220 |
| Electronic timer | Yes |
| Type of safety device for gas | Electromagnetic for each burner |

| DD/ | | MANAEC | AND | ELINIC | TIONS |
|-----|------|--------|-----|--------|-------|
| PK | JUKA | | ANU | LONC | |

Type of 1st heating element Rapid gas burner

| Type of 2nd heating element | Semirapid gas burner |
|-----------------------------|----------------------|
| Type of 3rd heating element | Semirapid gas burner |
| Type of 4th heating element | Auxiliary gas burner |

| AESTHETIC | |
|------------------|---------------------------------|
| Colour | Black |
| Surface material | Tempered glass |
| Control method | Knobs |
| Knob colour | Inox |
| Grids type | Elongated cast iron pan support |

| PERFORMANCE | |
|---|----------------|
| Power of 1st heating element (W) | 3000 |
| Power of 2nd heating element (W) | 1750 |
| Power of 3rd heating element (W) | 1750 |
| Power of 4th heating element (W) | 1000 |
| Power consumption Off mode | Not applicable |
| Power consumption Standby mode | Not applicable |
| Power consumption Standby mode with info display | Not applicable |
| Power consumption Networked Standby | Not applicable |
| Time Off mode/Standby/Standby display/Networked standby | 0 |

| DIMENSIONS | |
|---|------------|
| Required niche size for installation (mm) | 560x480x49 |
| Product height (mm) | 47.5 |
| Width of the product (mm) | 600 |
| Full product depth (mm) | 510 |

| Packaged Product Height (mm) | 165 |
|----------------------------------|------|
| Width of the packed product (mm) | 695 |
| Packaged Product Depth(mm) | 600 |
| Net weight (kg) | 12.9 |
| Gross weight (kg) | 14.6 |
| | |