

H-DRY 500

NDE H9A3TCE-80/N



\checkmark Woolmark Certification

- \checkmark Complete set of 9 care cicles
- \checkmark Auto care cycle
- \checkmark Four Dryness Levels
- \checkmark Eco-Friendly machine
- \checkmark Active Dry
- \checkmark Label scan and Virtual Wardrobe
- \checkmark Long-lasting durability
- \checkmark Scan to Care
- \checkmark All the advantages of being connected
- ✓ Acquavision
- \checkmark 40 additional cycles
- \checkmark Extra functions by hOn App

MAIN FEATURES

Product name / Commercial code	NDE H9A3TCE-80/N
Product code	31102763
EAN Code	8059019080321
Built in / free standing model	Freestanding
Dryer type	Heat Pump Inverter
Capacity (kg)	9

TECHNICAL FEATURES

Motor	BPM
Connectivity	Advanced remote control and extra content (Wi-Fi + Bluetooth)
ІоТ Арр	hOn

Drum material	Galvanized
Drum volume (I)	125
Water container position	In door tank
Electronics	5 digit display
Voltage (V)	220-240
Plug type	UK

PROGRAMMES AND FUNCTIONS

Number of programmes	15+1
Woolmark Approved	Yes
Start delay options	Yes (up to 24h)
End of cycle indicator	Yes
Dryness degree selectable	Yes
Drying time selector	Yes
Sensor dry	Yes
Blocked filter indicator	Yes
Full tank indicator	Yes

AESTHETIC

Door	Trasparent with Easycase
Colour	White
Colour of door	White
Colour of handle	White
Knob colour	White
Colour / bezel	White

ACCESSORIES

Exhaust water pipe

PERFORMANCE	
Energy efficiency class	A+++
Annual Energy Consumption (kWh)	194
Noise level (dB(A)	64
Condensation efficiency class	A
Energy consumption electric dryer, full load	1.59
Energy consumption electric dryer, partial load	0.87

DIMENSIONS	
Width of the product (mm)	596
Product depth (mm)	604
Cabinet depth (without pipes and door)	585
Packaged Product Height (mm)	890
Width of the packed product (mm)	650
Packaged Product Depth(mm)	620
Gross weight (kg)	45.5
Net weight (kg)	43.9