



H-DISH 500

HF 5C7F0X-80

- ✓ Active hygiene protection system
- √ Speed-drive inverter
- ✓ Maxi tub
- ✓ Dish placer
- √ 49 minutes cycle
- ✓ Text display
- ✓ Start delay up to 24h
- ✓ C class
- √ New total care+
- ✓ Ladles' holder
- √ Low Noise level
- ✓ Automatic door opening
- √ Foldable racks

| MAIN FEATURES | |
|--------------------------------|---------------|
| Product name / Commercial code | HF 5C7F0X-80 |
| Product code | 32002464 |
| EAN Code | 8059019069913 |
| Built-in / Free standing | Freestanding |
| Number of place settings | 15 |
| Maxi Plates inserts | No |

| TECHNICAL FEATURES | |
|----------------------------|--|
| Connectivity | Advanced remote control and extra content (Wi-Fi + Bluetooth) |
| ІоТ Арр | hOn |
| Automatic door open system | Yes |

| Third drawer | No |
|---|--------------------------|
| Adjustable upper basket | Yes |
| Safety-stop of lower basket | Yes |
| Self-cleaning triple filtering system | No |
| Drying system | Condenser |
| Foldable racks | 2° Row from Right- Lower |
| Smart sensor system | No |
| Control type | 4 Digit |
| Maximum temperature for water intake (°C) | 60 |
| Plug type | UK |
| Current (A) | 13 |
| Voltage (V) | 220-240 |

| Number of programmes | 8 |
|-------------------------------|--------|
| Automatic programmes | Yes |
| Half load | Yes |
| End of cycle indicator | Yes |
| Salt indicator light | Yes |
| Rinse Aid indicator light | Yes |
| Start delay options | 1-23 h |
| Antibacterial Filter (ABT) | No |
| Power Wash/Perfect Rapid Zone | No |
| Standard Water Protection | Yes |
| Aquaprotect | No |
| Aquastop | No |
| Total water block | No |
| Programme duration [hh:mm] | 3:57 |

| AESTHETIC | |
|---------------------------------|-----------------|
| Colour | Stainless Steel |
| Rear adjustable feet from front | Yes |
| | |

| PERFORMANCE AND CONSUMPTION | |
|---------------------------------|------|
| Energy efficiency class | С |
| Noise Class | С |
| Noise level (dBA) | 47 |
| Energy consumption [100 cycles] | 75 |
| Water consumption [per cycle] | 10.9 |

| DIMENSIONS | |
|-------------------------------------|-------|
| Product height (mm) | 850 |
| Product height without worktop (mm) | 835 |
| Width of the product (mm) | 597 |
| Product depth (mm) | 598 |
| Packaged Product Height (mm) | 893 |
| Width of the packed product (mm) | 640 |
| Packaged Product Depth(mm) | 654 |
| Net weight (kg) | 46.1 |
| Gross weight (kg) | 47.75 |