

CANDY



Candy Rapidò

CF 5C7F0W-80

- ✓ Speed-Drive Inverter Motor
- ✓ Maxi Tub
- ✓ C class
- ✓ Snap&Wash Feature
- ✓ Maxi ladle
- ✓ Smart Text Display
- ✓ Foldable racks
- ✓ Start Delay up to 24
- ✓ Smart Door Opening System

Main Features

| | |
|--------------------------------|---------------------------|
| Product name / Commercial code | CF 5C7F0W-80 |
| Product code | 32002465 |
| EAN Code | 8059019069920 |
| Manufacturer | Candy Hoover Group S.r.l. |
| Number of place settings | 15 |
| Maxi Plates inserts | No |
| Built-in / Free standing | Freestanding |

Technical features

| | |
|----------------------------|--|
| Connectivity | Advanced remote control and extra content (Wi-Fi + BLUETOOTH®) |
| IoT App | hOn |
| Automatic door open system | Yes |
| Third drawer | No |

| | |
|---|--------------------------|
| Adjustable upper basket | Yes |
| Safety-stop of lower basket | Yes |
| Self-cleaning triple filtering system | No |
| Drying system | Condenser |
| Foldable racks | 2° Row from Right- Lower |
| Smart sensor system | No |
| Control type | 4 Digit |
| Maximum temperature for water intake (°C) | 60 |
| Plug type | UK |
| Current (A) | 13 |
| Voltage (V) | 220-240 |

Programs and Functions

| | |
|-------------------------------|--------|
| Number of programmes | 8 |
| Automatic programmes | Yes |
| Half load | Yes |
| End of cycle indicator | Yes |
| Salt indicator light | Yes |
| Rinse Aid indicator light | Yes |
| Start delay options | 1-23 h |
| Power Wash/Perfect Rapid Zone | No |
| Standard Water Protection | Yes |
| Aquaprotect | No |
| Aquastop | No |
| Total water block | No |
| Programme duration [hh:mm] | 03:57 |

Aesthetic

| | |
|--------|-------|
| Colour | White |
|--------|-------|

| | |
|---------------------------------|-----|
| Rear adjustable feet from front | Yes |
|---------------------------------|-----|

Performance and Consumption

| | |
|-------------------------|---|
| Energy efficiency class | C |
|-------------------------|---|

| | |
|-------------|---|
| Noise Class | C |
|-------------|---|

| | |
|-------------------|----|
| Noise level (dBA) | 47 |
|-------------------|----|

| | |
|---------------------------------|----|
| Energy consumption [100 cycles] | 75 |
|---------------------------------|----|

| | |
|-------------------------------|------|
| Water consumption [per cycle] | 10.9 |
|-------------------------------|------|

Dimensions

| | |
|---------------------|-----|
| Product height (mm) | 850 |
|---------------------|-----|

| | |
|-------------------------------------|-----|
| Product height without worktop (mm) | 835 |
|-------------------------------------|-----|

| | |
|---------------------------|-----|
| Width of the product (mm) | 597 |
|---------------------------|-----|

| | |
|-------------------------|-----|
| Full product depth (mm) | 598 |
|-------------------------|-----|

| | |
|------------------------------|-----|
| Packaged Product Height (mm) | 893 |
|------------------------------|-----|

| | |
|----------------------------------|-----|
| Width of the packed product (mm) | 640 |
|----------------------------------|-----|

| | |
|----------------------------|-----|
| Packaged Product Depth(mm) | 654 |
|----------------------------|-----|

| | |
|-----------------|-------|
| Net weight (kg) | 46.05 |
|-----------------|-------|

| | |
|-------------------|-------|
| Gross weight (kg) | 47.74 |
|-------------------|-------|