



Candy Rapidò

CI 6C4F1PMA-80

- ✓ Speed-Drive Inverter Motor
- ✓ Maxi Tub
- ✓ C class
- ✓ Low noise level
- √ 16 place settings
- ✓ Start Delay up to 24
- ✓ Smart Door Opening System

| MAIN FEATURES | |
|--------------------------------|---------------------------|
| Product name / Commercial code | CI 6C4F1PMA-80 |
| Product code | 32901593 |
| EAN Code | 8059019052380 |
| Manufacturer | Candy Hoover Group S.r.l. |
| Number of place settings | 16 |
| Maxi Plates inserts | Yes |
| Built-in / Free standing | Full-integrated |

| TECHNICAL FEATURES | |
|----------------------------|--|
| Connectivity | Advanced remote control and extra content (Wi-Fi + BLUETOOTH®) |
| ІоТ Арр | hOn |
| Automatic door open system | Yes |
| Third drawer | Yes |

| Adjustable upper basket | Yes with easy-click |
|---|---------------------|
| Safety-stop of lower basket | Yes |
| Self-cleaning triple filtering system | No |
| Drying system | Condenser |
| Foldable racks | All Rows - Lower |
| Smart sensor system | No |
| Control type | 4 Digit |
| Hinges | Double movement |
| Maximum temperature for water intake (°C) | 60 |
| Plug type | UK |
| Current (A) | 13 |
| Voltage (V) | 220-240 |

| PROGRAMMES AND FUNCTIONS | |
|-------------------------------|-----------------|
| Number of programmes | 8 |
| Automatic programmes | Yes |
| Half load | Yes |
| End of cycle indicator | Yes with buzzer |
| Salt indicator light | Yes |
| Rinse Aid indicator light | Yes |
| Start delay options | 1-23 h |
| Antibacterial Filter (ABT) | No |
| Power Wash/Perfect Rapid Zone | Yes |
| Standard Water Protection | Yes |
| Aquaprotect | No |
| Aquastop | Yes |
| Total water block | No |
| Programme duration [hh:mm] | 03:58 |
| | |

| AESTHETIC | |
|-------------------------------------|------------|
| Colour | Graphite |
| Colour of facia | Anthracite |
| Rear adjustable feet from front | Yes |
| PERFORMANCE AND CONSUMPTION | |
| Energy efficiency class | С |
| Noise Class | В |
| Noise level (dBA) | 44 |
| Energy consumption [100 cycles] | 76 |
| Water consumption [per cycle] | 9.5 |
| DIMENSIONS | |
| Product height (mm) | 818 |
| Product height without worktop (mm) | 818 |
| Width of the product (mm) | 597 |
| Full product depth (mm) | 555 |
| Packaged Product Height (mm) | 873 |
| Width of the packed product (mm) | 640 |
| Packaged Product Depth(mm) | 629 |
| Net weight (kg) | 38 |

39.65

Gross weight (kg)