



H-HOB 300 INDUCTION

HI642TTC/1

- √ Booster
- √ Power Management

| MAIN FEATURES | |
|--------------------------------|---------------|
| Product name / Commercial code | HI642TTC/1 |
| Product code | 33803314 |
| EAN Code | 8059019071459 |
| Type of cooktop | Induction |
| Number of zones | 4 |

| None |
|---------|
| None |
| 220-240 |
| Yes |
| |

| PROGRAMMES AND FUNCTIONS | |
|-----------------------------|-----------|
| Type of 1st heating element | Induction |
| Type of 2nd heating element | Induction |
| Type of 3rd heating element | Induction |
| Type of 4th heating element | Induction |

| AESTHETIC | |
|------------------|----------------|
| Colour | Black |
| Surface material | Vetroceramic |
| Control method | Touch controls |
| Grids type | Without |

| PERFORMANCE | |
|---|----------------|
| Power of 1st heating element (W) | 2000/2600 |
| Power of 2nd heating element (W) | 1500/2000 |
| Power of 3rd heating element (W) | 2000/2600 |
| Power of 4th heating element (W) | 1500/2000 |
| Power consumption Off mode | Not applicable |
| Power consumption Standby mode | Not applicable |
| Power consumption Standby mode with info display | Not applicable |
| Power consumption Networked Standby | Not applicable |
| Time Off mode/Standby/Standby display/Networked standby | 0 |

| Required niche size for installation (mm) | 560x490x51 |
|---|------------|
| Product height (mm) | 520 |
| Width (mm) | 590 |
| Product depth (mm) | 55 |
| Packaged Product Height (mm) | 115 |
| Width of the packed product (mm) | 690 |
| Packaged Product Depth(mm) | 635 |
| Gross weight (kg) | 9.8 |

Net weight (kg) 8.7