



H-HOB 300 INDUCTION

HI642CBB

- ✓ Booster
- √ Power Management

| MAIN FEATURES | |
|--------------------------------|---------------------------|
| Product name / Commercial code | HI642CBB |
| Product code | 33803377 |
| EAN Code | 8059019078878 |
| Manufacturer | Candy Hoover Group S.r.l. |
| Number of zones | 4 |
| Type of cooktop | Induction |

| TECHNICAL FEATURES | |
|--------------------|---------|
| Connectivity | None |
| IoT App | None |
| Voltage (V) | 220-240 |
| Electronic timer | Yes |

| PROGRAMMES AND FUNCTIONS | |
|-----------------------------|-----------|
| Type of 1st heating element | Induction |
| Type of 2nd heating element | Induction |

| Type of 3rd heating element | Induction |
|-----------------------------|-----------|
| Type of 4th heating element | Induction |

| AESTHETIC | |
|------------------|----------------|
| Colour | Black |
| Surface material | Vetroceramic |
| Control method | Touch controls |
| Grids type | Without |
| Type of lid | Without |

| PERFORMANCE | |
|---|----------------|
| Power of 1st heating element (W) | 2000(3000) |
| Power of 2nd heating element (W) | 1200(1500) |
| Power of 3rd heating element (W) | 1800(2100) |
| Power of 4th heating element (W) | 1200(1500) |
| Power consumption Off mode | 0.5 |
| Power consumption Standby mode | Not applicable |
| Power consumption Standby mode with info display | Not applicable |
| Power consumption Networked Standby | Not applicable |
| Time Off mode/Standby/Standby display/Networked standby | 20 |

| DIMENSIONS | |
|---|------------|
| Required niche size for installation (mm) | 560x490x56 |
| Product height (mm) | 60 |
| Width of the product (mm) | 590 |
| Full product depth (mm) | 520 |
| Packaged Product Height (mm) | 115 |

| 690 |
|-----|
| 645 |
| 8 |
| 9.8 |
| |