

BUILT-IN

CFT610/5S/1



- ✓ Led lights
- √ 3 speed levels for any need

CFT610/5S/1
36901730
8016361972452
Candy Hoover Group S.r.l.
Wall-mounted
Standard

TECHNICAL FEATURES	
Connectivity	None
Frequency (Hz)	50
ІоТ Арр	None
Grease filter type	Multilayer
Total power of the lamps (W)	2

Type of control	Mechanical
Number of motors	1
Type of lamps used	LED
Voltage (V)	220-240

PROGRAMMES AND FUNCTIONS	
Boost position	No
Number of speed settings	3

AESTHETIC

Material body Grey painted

PERFORMANCE	
Min./Max. extraction rate (m3/hr)	209
Energy Efficiency class (2010/30/EC)	C
Airborne acoustical A-weighted sound power emissions at Min/Max speed available in normal use (dB(A))	71
Power (W)	<1000 W

DIMENSIONS	
Product height (mm)	80
Height of product without chimney (mm)	80
Width of the product (mm)	600
Full product depth (mm)	465
Packaged Product Height (mm)	520
Width of the packed product (mm)	645
Packaged Product Depth(mm)	125
Diameter of air outlet (mm)	120

Net weight (kg)	5.12
Gross weight (kg)	6.42