Haier



I-Pro Series 3

HD90-A2939

- ✓ Heat Pump Technology Reducing energy consumption
- √ 3 in 1 filter
- ✓ I-Time Function Choose the time of your drying cycle
- ✓ Start Delay Allows you to delay the cycle for up
 to 12 hours

| HD90-A2939-UK |
|---------------|
| 31102653 |
| 6921081597620 |
| Freestanding |
| Heat Pump |
| 9 |
| |

| TECHNICAL FEATURES | |
|--------------------|------------|
| Full Reverse motor | No |
| Motor | AC |
| Connectivity | None |
| Іот Арр | None |
| Drum material | Galvanized |
| Drum volume (I) | 112 |

Voltage (V) 220-240

| | \sim | ~ | - W. | | 7 1 | • | ES | | - | | T | - | | • • | |
|---|--------|---|------|-----|-------|-----|----|--|---|---|----------|---|--|-----|-------|
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | 111 | ин | ·V/ | - | | | - | | | | 11 | • |
| | v | | V - | AI. | 4 1 1 | A 4 | _ | | | - | М. | | | 4 6 | |
| | | | | | | | | | | | | | | | |

| Number of programmes | 15 |
|--------------------------|-----------------|
| Start delay options | Yes (up to 24h) |
| End of cycle indicator | Yes |
| Drum light | No |
| Drying time selector | Yes |
| Refresh Pro | No |
| Sensor dry | Yes |
| Blocked filter indicator | Yes |
| Full tank indicator | Yes |

AESTHETIC

| Reverse Door | No |
|----------------|-------|
| Colour | White |
| Colour of door | Black |

ACCESSORIES

| Exhaust water pipe | Yes |
|--------------------|-----|
| Shoe Rack | No |

PERFORMANCE

| Energy efficiency class | A++ |
|---------------------------------|-----|
| Annual Energy Consumption (kWh) | 265 |
| Noise level (dB(A) | 65 |
| Condensation efficiency class | В |

| Energy consumption electric dryer, partial load | 1.2 |
|---|-----|
| DIMENSIONS | |
| Width of the product (mm) | 595 |
| Product depth (mm) | 665 |
| Cabinet depth (without pipes and door) | 600 |
| Packaged Product Height (mm) | 890 |
| Width of the packed product (mm) | 668 |
| Packaged Product Depth(mm) | 748 |
| Gross weight (kg) | 53 |
| Net weight (kg) | 50 |

2.1

Energy consumption electric dryer, full load