



DÉCOR

CVMA90N

- ✓ Led lights
- ✓ Up to 4 Speed levels
- ✓ Modern touch control
- ✓ Delayed Switch-off function
- ✓ Aluminium filter

MAIN FEATURES	
Model	CVMAgoN
Product code	36900729
EAN Code	8016361920811
Manufacturer	Candy Hoover Group S.r.l.
Installation type	Wall-mounted
Typology	Décor

TECHNICAL FEATURES	
Connectivity	None
Frequency (Hz)	50/60
ІоТ Арр	None
Grease filter type	Multilayer
Total power of the lamps (W)	3
Type of control	Digital

PROGRAMMES AND FUNCTIONS Boost position Yes Number of speed settings 4 AESTHETIC Colour Black Material body Black glass PERFORMANCE Air flow at at intensive or boost setting (m3/h) 612 Min./Max. extraction rate (m3/hr) 498 Energy Efficiency class (2010/30/EC) A Airborne acoustical A-weighted sound power emissions at Min/Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) 900 Height of product without chimney (mm) 470 Width of the product (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510		
PROGRAMMES AND FUNCTIONS Boost position Yes Number of speed settings 4 AESTHETIC Colour Black Material body Black glass PERFORMANCE Air flow at at intensive or boost setting (m3/h) 612 Min./Max. extraction rate (m3/hr) 498 Energy Efficiency class (2010/30/EC) A Airborne acoustical A-weighted sound power emissions at Min/Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) 900 Height of product without chimney (mm) 470 Width of the product (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510	Number of motors	1
PROGRAMMES AND FUNCTIONS Boost position Yes Number of speed settings 4 AESTHETIC Colour Black Material body Black glass PERFORMANCE Air flow at at intensive or boost setting (m3/h) 612 Min./Max. extraction rate (m3/hr) 498 Energy Efficiency class (2010/30/EC) A Airborne acoustical A-weighted sound power emissions at Min./Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) 900 Height of product without chimney (mm) 470 Width of the product (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510	Type of lamps used	LED
Boost position Yes Number of speed settings 4 AESTHETIC Colour Black Material body Black glass PERFORMANCE Air flow at at intensive or boost setting (m3/h) 612 Min./Max. extraction rate (m3/hr) 498 Energy Efficiency class (2010/30/EC) A Airborne acoustical A-weighted sound power emissions at Min./Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) 900 Height of product without chimney (mm) 470 Width of the product (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510	Voltage (V)	220-240
Boost position Yes Number of speed settings 4 AESTHETIC Colour Black Material body Black glass PERFORMANCE Air flow at at intensive or boost setting (m3/h) 612 Min./Max. extraction rate (m3/hr) 498 Energy Efficiency class (2010/30/EC) A Airborne acoustical A-weighted sound power emissions at Min./Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) 900 Height of product without chimney (mm) 470 Width of the product (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510		
AESTHETIC Colour Black Material body Black glass PERFORMANCE Air flow at at intensive or boost setting (m3/h) 612 Min./Max. extraction rate (m3/hr) 498 Energy Efficiency class (2010/30/EC) A Airborne acoustical A-weighted sound power emissions at Min/Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) 900 Height of product without chimney (mm) 470 Width of the product (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510	PROGRAMMES AND FUNCTIONS	
AESTHETIC Colour Black Material body Black glass PERFORMANCE Air flow at at intensive or boost setting (m3/h) 612 Min./Max. extraction rate (m3/hr) 498 Energy Efficiency class (2010/30/EC) A Airborne acoustical A-weighted sound power emissions at Min./Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) 900 Height of product without chimney (mm) 470 Width of the product (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510	Boost position	Yes
Colour Black Material body Black glass PERFORMANCE Air flow at at intensive or boost setting (m3/h) 612 Min./Max. extraction rate (m3/hr) 498 Energy Efficiency class (2010/30/EC) A Airborne acoustical A-weighted sound power emissions at Min/Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) 900 Height of product without chimney (mm) 470 Width of the product (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510	Number of speed settings	4
Colour Black Material body Black glass PERFORMANCE Air flow at at intensive or boost setting (m3/h) 612 Min./Max. extraction rate (m3/hr) 498 Energy Efficiency class (2010/30/EC) A Airborne acoustical A-weighted sound power emissions at Min/Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) 900 Height of product without chimney (mm) 470 Width of the product (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510		
PERFORMANCE Air flow at at intensive or boost setting (m3/h) Min./Max. extraction rate (m3/hr) Airborne acoustical A-weighted sound power emissions at Min/Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) Height of product without chimney (mm) Width of the product (mm) Full product depth (mm) At 8 Packaged Product Height (mm) 510	AESTHETIC	
PERFORMANCE Air flow at at intensive or boost setting (m3/h) 612 Min./Max. extraction rate (m3/hr) 498 Energy Efficiency class (2010/30/EC) A Airborne acoustical A-weighted sound power emissions at Min/Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) 900 Height of product without chimney (mm) 470 Width of the product (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510	Colour	Black
Air flow at at intensive or boost setting (m3/h) Min./Max. extraction rate (m3/hr) Energy Efficiency class (2010/30/EC) A Airborne acoustical A-weighted sound power emissions at Min./Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) Height of product without chimney (mm) Width of the product (mm) Full product depth (mm) 418 Packaged Product Height (mm) 510	Material body	Black glass
Air flow at at intensive or boost setting (m3/h) Min./Max. extraction rate (m3/hr) Energy Efficiency class (2010/30/EC) A Airborne acoustical A-weighted sound power emissions at Min./Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) Height of product without chimney (mm) Width of the product (mm) Full product depth (mm) 418 Packaged Product Height (mm) 510		
Min./Max. extraction rate (m3/hr) Energy Efficiency class (2010/30/EC) Airborne acoustical A-weighted sound power emissions at Min/Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) 470 Width of the product without chimney (mm) Full product depth (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510	PERFORMANCE	
Energy Efficiency class (2010/30/EC) Airborne acoustical A-weighted sound power emissions at Min/Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) 470 Width of the product (mm) Full product depth (mm) 418 Packaged Product Height (mm) 510	Air flow at at intensive or boost setting (m3/h)	612
Airborne acoustical A-weighted sound power emissions at Min/Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) Height of product without chimney (mm) Width of the product (mm) Full product depth (mm) Packaged Product Height (mm) 510	Min./Max. extraction rate (m3/hr)	498
emissions at Min/Max speed available in normal use (dB(A)) Power (W) UNDEFINED DIMENSIONS Product height (mm) Height of product without chimney (mm) Width of the product (mm) Full product depth (mm) 418 Packaged Product Height (mm) 510	Energy Efficiency class (2010/30/EC)	Α
DIMENSIONS Product height (mm) 900 Height of product without chimney (mm) 470 Width of the product (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510	emissions at Min/Max speed available in	62
Product height (mm) 900 Height of product without chimney (mm) 470 Width of the product (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510	Power (W)	UNDEFINED
Product height (mm) 900 Height of product without chimney (mm) 470 Width of the product (mm) 900 Full product depth (mm) 418 Packaged Product Height (mm) 510		
Height of product without chimney (mm) Width of the product (mm) Full product depth (mm) Packaged Product Height (mm) 510	DIMENSIONS	
Width of the product (mm) Full product depth (mm) Packaged Product Height (mm) 510	Product height (mm)	900
Full product depth (mm) Packaged Product Height (mm) 510	Height of product without chimney (mm)	470
Packaged Product Height (mm) 510	Width of the product (mm)	900
	Full product depth (mm)	418
Width of the packed product (mm) 935	Packaged Product Height (mm)	510
	Width of the packed product (mm)	935

545

Packaged Product Depth(mm)

Diameter of air outlet (mm)	150
Net weight (kg)	18.8
Gross weight (kg)	20.6