

CANDY



RapidÓ

ROW4856DWMCT/1-S

- ✓ Verificare Smart
- ✓ Programe Rapide
- ✓ Statistici
- ✓ Programe suplimentare
- ✓ Functia Steam
- ✓ Kilo Detector
- ✓ Tehnologia Active Motion
- ✓ Continut extra prin App
- ✓ Start Delay
- ✓ Clasa A

CARACTERISTICI

| | |
|-----------------------------------|------------------|
| Nume produs /Cod comercial | ROW4856DWMCT/1-S |
| Codul produsului | 31018828 |
| Cod EAN | 8059019044392 |
| Incorporabil / Independent | Independent |
| Capacitate de bumbac (kg) spălare | 8 |
| Capacitate bumbac uscare (kg) | 5 |
| Viteza maxima stoarcere (rpm) | 1400 |

CARACTERISTICI TEHNICE

| | |
|------------------|---|
| IoT App | hOn |
| Conectivitate | Control si continut avansat (Wi-Fi + BLE) |
| Nivel electronic | digit |
| Material tambur | Otel Inoxidabil |

| | |
|--------------|--------------|
| Motor | Inverter BPM |
| Tip steker | Schuko |
| Tensiune (V) | 220-240 |

PROGRAME SI FUNCTII

| | |
|----------------------------|-------------------------|
| Aprobata de catre Woolmark | Nu |
| Uscare rapida | Da ca program |
| Programmes number | 15+1 |
| Optiuni pornire intarziata | Yes (up to 24h) |
| Caracteristica principala | Sistem de putere mixt + |
| Autodose | Nu |
| Abur | Da |

ESTETICA

| | |
|---------------------------|-----|
| Culoare principala produs | Alb |
| Culoare / material usa | Alb |

PERFORMANTA SI CONSUM

| | |
|--|-----|
| Energy Efficiency Class EElw | A |
| Energy Efficiency Class EElwd | D |
| Spin-drying efficiency class | B |
| Weighted energy consumption [100 cycles W] | 47 |
| Weighted energy consumption [100 cycles WD] | 266 |
| Eco 40-60 Duration Full | 218 |
| Wash&Dry Duration Full | 550 |
| Nivel zgomot centrifugare Clasificare energie EN 60704-3 | 76 |
| Airborn acoustical noise emission class | B |
| Water consumption washing | 44 |

DIMENSIUNI

| | |
|---|-----|
| Inaltime produs ambalat | 85 |
| Latime produs neambalat | 60 |
| Adancime produs neambalat | 53 |
| Cabinet depth mm (without pipes and door) | 470 |
| Inaltime produs ambalat (mm) | 890 |
| Latime produs ambalat (mm) | 650 |
| Adancime produs ambalat (mm) | 560 |
| Greutate neta (kg) | 64 |
| Greutate bruta (kg) | 66 |