

CANDY



RapidÓ

RO14116DWMCT-S

- ✓ Functia Steam
- ✓ Snap & Wash
- ✓ Programe rapide
- ✓ Speed-Drive Inverter
- ✓ Quick&Clean
- ✓ Daily Hygiene
- ✓ Confort inegalabil

CARACTERISTICI

| | |
|-------------------------------------------|---------------------------|
| Nume produs | RO14116DWMCT-S |
| Codul produsului | 31018829 |
| Cod EAN | 8059019044408 |
| Producator | Candy Hoover Group S.r.l. |
| Capacitate bumbac (kg) - NOU (2010/30/EC) | 11 |
| Viteza maximă de centrifugare (rpm) | 1400 |
| Incorporabila / Independenta | Neincorporabil |
| Tipul incarcarii | Frontala |

CARACTERISTICI TEHNICE

| | |
|---------------|-----------------|
| Aplicatie IoT | hOn |
| Electronica | 6 digit display |
| Motor | Inverter BPM |

| | |
|-----------------|--------------------------------------------------|
| Material tambur | Otel inoxidabil |
| Volum tambur | 72 |
| Tip steker | Schuko |
| Tensiune (V) | 220-240 |
| Conectivitate | Control si continut avansat (Wi-Fi + BLUETOOTH®) |

PROGRAME SI FUNCTII

| | |
|----------------------------|-------------------------|
| Numar de programe | 16 |
| Optiuni pornire intarziata | Yes (up to 24h) |
| Caracteristici principale | Sistem de putere mixt + |
| Autodose | Nu |
| Abur | Da |

ESTETICA

| | |
|--------------------------|-----|
| Culoare corp | Alb |
| Culoare / material usa | Alb |
| Culoare / material maner | Alb |

PERFORMANTA SI CONSUM

| | |
|----------------------------------------------------------|------|
| Clasa energetica | A |
| Spin-drying efficiency class | B |
| Weighted energy consumption [100 cycles, eco 40-60] | 53 |
| Durata program - rating | 4:00 |
| Water consumption | 52 |
| Nivel zgomot centrifugare Clasificare energie EN 60704-3 | 80 |
| Airborn acoustical noise emission class | C |

DIMENSIUNI

| | |
|---------------------------------------------|-----|
| Inaltime produs (mm) | 850 |
| Latime | 600 |
| Adancime totala (mm) | 630 |
| Adancime cabinet mm (fara furtun si hublou) | 570 |
| Inaltime produs ambalat (mm) | 890 |
| Latime produs ambalat (mm) | 650 |
| Adancime produs ambalat (mm) | 650 |
| Greutate neta (kg) | 68 |
| Greutate bruta (kg) | 70 |

PROGRAME SI FUNCTII

| | |
|----------|----|
| Aquastop | no |
|----------|----|