

CANDY



Smart Pro

CSOE H8A2DE-S

- ✓ Programe Rapide
- ✓ Sistem Heat Pump
- ✓ Programe aditionale
- ✓ Easy Case
- ✓ Easy Iron
- ✓ Pornire intarziata
- ✓ Kilo detector
- ✓ Functia Memory
- ✓ Program lana
- ✓ Certificat Woolmark
- ✓ Uscare ghidata si sincronizata
- ✓ Snap&Dry
- ✓ Conectivitate hOn
- ✓ Statistics and maintenance
- ✓ Programmes

CARACTERISTICI

| | |
|--------------------------------|---------------------------|
| Nume produs | CSOE H8A2DE-S |
| Codul produsului | 31102194 |
| Cod EAN | 8059019023847 |
| Producator | Candy Hoover Group S.r.l. |
| Model built-in / free-standing | Independent |
| Capacitate (bumbac) kg | 8 |
| Tipul uscatorului | Pompa de caldura |

CARACTERISTICI TEHNICE

| | |
|---------------|--|
| Conectivitate | Control si continut avansat (Wi-Fi + BLUETOOTH®) |
|---------------|--|

| | |
|----------------------|-----------------|
| Aplicatie IoT | hOn |
| Material tambur | Galvanizat |
| Volum tambur (l) | 125 |
| Electronice | 3 digit display |
| Tip stecher | Schuko |
| Tensiune (V) | 220-240 |
| Pozitie rezervor apa | In door tank |

PROGRAME SI FUNCTII

| | |
|-------------------------------|-----------------|
| Indicator filtru blocat | Da |
| Selector timp uscare | Da |
| Nivel de umiditate selectabil | Da |
| Indicator terminare ciclu | Da |
| Indicator rezervor plin | Da |
| Programmes number | 15+1 |
| Optiuni pornire intarziata | Yes (up to 24h) |
| Woolmark | Da |

ESTETICA

| | |
|--------------------------|--------------------------|
| Culoare corp | Alb |
| Culoare / material usa | Alb |
| Ușă | Trasparent with Easycase |
| Culoare / material maner | Alb |

ACCESORII

| | |
|--------------------------|----|
| Conducte apa de evacuare | Nu |
|--------------------------|----|

PERFORMANTA SI CONSUM

| | |
|---|------|
| Energy Efficiency Class | E |
| Weighted Energy Cons. per cycle (kWh) | 1,29 |
| Consumul de energie electrică uscător, sarcină totală - NOU (2010/30) | 1,94 |
| Condensation Efficiency Class | C |
| Condensation Efficiency | 84 |
| Clasa de condensare eficienta | B |
| Acoustic Airborne Noise Emission Class | C |
| Acoustic Airborne Noise Emission dB(A) | 67 |
| Programme Duration (Rated) | 225 |

DIMENSIUNI

| | |
|---|------|
| Inaltime produs (mm) | 850 |
| Latime | 596 |
| Adancime totala (mm) | 607 |
| Adancime cabinet mm (fara furtun si hublou) | 585 |
| Inaltime produs ambalat (mm) | 890 |
| Latime produs ambalat (mm) | 650 |
| Adancime produs ambalat (mm) | 620 |
| Greutate bruta (kg) | 40,9 |
| Greutate neta (kg) | 39,3 |