

CANDY

Smart Pro

CSOE H10A2TRER-S



- ✓ Programe Rapide
- ✓ Sistem Heat Pump
- ✓ Programe aditionale
- ✓ Easy Case
- ✓ Easy Iron
- ✓ Pornire intarziata
- ✓ Kilo detector
- ✓ Functia Memory
- ✓ Program lana
- ✓ Certificat Woolmark
- ✓ Uscare ghidata si sincronizata
- ✓ Snap&Dry
- ✓ Conectivitate hOn
- ✓ Statistics and maintenance
- ✓ Programmes

CARACTERISTICI

Nume produs	CSOE H10A2TRER-S
Codul produsului	31102238
Cod EAN	8059019027920
Producator	Candy Hoover Group S.r.l.
Model built-in / free-standing	Independent
Capacitate (bumbac) kg	10
Tipul uscatorului	Pompa de caldura

CARACTERISTICI TEHNICE

Conectivitate	Control si continut avansat (Wi-Fi + BLUETOOTH®)
---------------	--

Aplicatie IoT	hOn
Material tambur	Galvanizat
Volum tambur (l)	125
Electronice	Big Digit
Tip stecher	Schuko
Tensiune (V)	220-240
Pozitie rezervor apa	In door tank

PROGRAME SI FUNCTII

Indicator filtru blocat	Da
Selector timp uscare	Da
Nivel de umiditate selectabil	Da
Indicator terminare ciclu	Da
Indicator rezervor plin	Da
Optiuni pornire intarziata	Yes (up to 24h)
Woolmark	Da

ESTETICA

Culoare corp	Antracite
Culoare / material usa	Anthracite
Ușă	Trasparent with Easycase
Culoare / material maner	Anthracite

ACCESORII

Conducte apa de evacuare	Nu
--------------------------	----

PERFORMANTA SI CONSUM

Energy Efficiency Class	E
-------------------------	---

Weighted Energy Cons. per cycle (kWh)	1,49
Consumul de energie electrică uscător, sarcină totală - NOU (2010/30)	2,43
Condensation Efficiency Class	C
Condensation Efficiency	84
Clasa de condensare eficienta	B
Acoustic Airborne Noise Emission Class	C
Acoustic Airborne Noise Emission dB(A)	66
Programme Duration (Rated)	305

DIMENSIUNI

Inaltime produs (mm)	850
Latime	596
Adancime totala (mm)	607
Adancime cabinet mm (fara furtun si hublou)	585
Inaltime produs ambalat (mm)	890
Latime produs ambalat (mm)	650
Adancime produs ambalat (mm)	620
Greutate bruta (kg)	42
Greutate neta (kg)	40,4