

CANDY



Smart Pro

CSOE C9TE-S

- ✓ Extra continut in aplicatie
- ✓ Programe aditionale
- ✓ Easy Iron
- ✓ Kilo detector
- ✓ Pornire intarziata
- ✓ Certificat Woolmark
- ✓ Uscare ghidata si sincronizata
- ✓ Noua experienta a uscarii
- ✓ Easy Case

CARACTERISTICI

Nume produs /Cod comercial	CSOE C9TE-S
Codul produsului	31102350
Cod EAN	8059019036014
Model built-in / free-standing	Independent
Tipul uscatorului	Condensator
Capacitate (bumbac) kg	9

CARACTERISTICI TEHNICE

Motor	AC
Conectivitate	Control si continut avansat (Wi-Fi + BLE)
IoT App	hOn

Material tambur	Galvanizat
Volum tambur (l)	125
Pozitie rezervor apa	In door tank
Electronice	5 digit display
Tensiune (V)	220-240
Tip stecher	Schuko

PROGRAME SI FUNCTII

Woolmark	Da
Optiuni pornire intarziata	Yes (up to 24h)
Indicator terminare ciclu	Da
Nivel de umiditate selectabil	Da
Selector timp uscare	Da
Indicator filtru blocat	Da
Indicator rezervor plin	Da

ESTETICA

Ușă	Trasparent with Easycase
Culoare corp	Alb
Culoare / material usa	Alb
Culoare / material maner	Alb

ACCESORII

Conducte apa de evacuare	Nu
Rack pliabil	Nu

PERFORMANTE

Clasa de eficienta energetica - NEW (2010/30/EC)	B
--	---

Consum energie anual total (kWh)	616
Nivel zgomot (dB(A) re 1 pW)	68
Clasa de condensare eficienta	C
Consumul de energie electrică uscător, sarcină totală - NOU (2010/30)	5,18
Consumul de energie electrica uscator, dogruz - NOU (2010)	2,8

DIMENSIUNI

Width of the product	596
Adancime (mm)	607
Cabinet depth mm (without pipes and door)	585
Inaltime produs ambalat (mm)	890
Latime produs ambalat (mm)	650
Adancime produs ambalat (mm)	620
Greutate bruta (kg)	35,5
Greutate neta (kg)	33,9