

CANDY



RapidÓ

ROE H9A2TCERX-S

- ✓ Programe Rapide
- ✓ Sistem Heat Pump
- ✓ Extra continuut in aplicatie
- ✓ Programe aditionale
- ✓ Easy Iron
- ✓ Easy Case
- ✓ Functia Memory
- ✓ Pornire intarziata
- ✓ Kilo detector
- ✓ Voice control
- ✓ Confort maxim
- ✓ Program lana
- ✓ Certificat Woolmark
- ✓ Uscare ghidata si sincronizata
- ✓ Snap&Dry
- ✓ Conectivitate hOn
- ✓ Statistics and maintenance
- ✓ Programmes

CARACTERISTICI

Nume produs	ROE H9A2TCERX-S
Codul produsului	31102484
Cod EAN	8059019039602
Producator	Candy Hoover Group S.r.l.
Model built-in / free-standing	Independent
Capacitate (bumbac) kg	9
Tipul uscatorului	Pompa de caldura

CARACTERISTICI TEHNICE

Conectivitate	Control si continut avansat (Wi-Fi + BLUETOOTH®)
Aplicatie IoT	hOn
Material tambur	Inox
Volum tambur (l)	125
Electronice	5 digit display
Tip stecher	Schuko
Tensiune (V)	220-240
Pozitie rezervor apa	In door tank
Motor	AC

PROGRAME SI FUNCTII

Indicator filtru blocat	Da
Selector timp uscare	Da
Nivel de umiditate selectabil	Da
Indicator terminare ciclu	Da
Indicator rezervor plin	Da
Optiuni pornire intarziata	Yes (up to 24h)
Woolmark	Da

ESTETICA

Culoare corp	Antracite
Culoare / material usa	Cromat
Ușa	Trasparent with Easycase
Culoare / material maner	Cromat

ACCESORII

Conducte apa de evacuare	Nu
--------------------------	----

PERFORMANTA SI CONSUM

Energy Efficiency Class	E
Weighted Energy Cons. per cycle (kWh)	1,4
Consumul de energie electrică uscător, sarcină totală - NOU (2010/30)	2,16
Condensation Efficiency Class	C
Condensation Efficiency	84
Clasa de condensare eficienta	B
Acoustic Airborne Noise Emission Class	C
Acoustic Airborne Noise Emission dB(A)	66
Programme Duration (Rated)	260

DIMENSIUNI

Inaltime produs (mm)	850
Latime	596
Adancime totala (mm)	611
Adancime cabinet mm (fara furtun si hublou)	585
Inaltime produs ambalat (mm)	890
Latime produs ambalat (mm)	650
Adancime produs ambalat (mm)	620
Greutate bruta (kg)	40,9
Greutate neta (kg)	39,3