

I-Pro Series 5

HD90-A2959



- ✓ Drying Lens
- ✓ Conectivitate prin hOn
- ✓ Heat Pump
- ✓ Program Refresh
- ✓ Functia Hygienic
- ✓ Filtru 3 in 1
- ✓ I-Time
- ✓ Pillow drum pentru tesaturi delicate
- ✓ „Start” programabil
- ✓ Reverse Door
- ✓ Program Refresh
- ✓ Pillow drum pentru tesaturi delicate
- ✓ I-Time
- ✓ Functie ajustabila a programului de uscare
- ✓ Filtru 3 in 1

CARACTERISTICI

Nume produs /Cod comercial	HD90-A2959-S
Codul produsului	31102531
Cod EAN	6921081592083
Model built-in / free-standing	Independent
Tipul uscatorului	Pompa de caldura
Capacitate (bumbac) kg	9

CARACTERISTICI TEHNICE

Full Reverse motor	Nu
Motor	AC

Conectivitate	Control si continut avansat (Wi-Fi + BLE)
IoT App	hOn
Material tambur	Inox
Volum tambur (l)	112
Tensiune (V)	220-240
Tip stecher	Schuko

PROGRAME SI FUNCTII

Programmes number	11+Remote
Optiuni pornire intarziata	Yes (up to 24h)
Indicator terminare ciclu	Da
Drum Light	Nu
Selector timp uscare	Da
Refresh Pro	Nu
Senzor electronic umiditate	Da
Indicator filtru blocat	Da
Indicator rezervor plin	Da

ESTETICA

Reverse Door	Da
Culoare corp	Alb
Culoare / material usa	Negru

ACCESORII

Conducte apa de evacuare	Da
Rack pliabil	Nu

PERFORMANTE

Clasa de eficienta energetica - NEW (2010/30/EC)	A++
Consum energie anual total (kWh)	236
Nivel zgomot (dB(A) re 1 pW)	67
Clasa de condensare eficienta	B
Consumul de energie electrică uscător, sarcină totală - NOU (2010/30)	2,14
Consumul de energie electrica uscator, dogruz - NOU (2010)	1,21

DIMENSIUNI

Inaltime cu blat (mm)	845
Adancime (mm)	675
Cabinet depth mm (without pipes and door)	580
Inaltime produs ambalat (mm)	888
Latime produs ambalat (mm)	656
Adancime produs ambalat (mm)	726
Greutate bruta (kg)	57
Greutate neta (kg)	51