

CANDY



RapidÓ PRO

RP4 H7A2TRE-S

- ✓ Programe Rapide
- ✓ Program Genius pentru ajustare timpului de uscare si a temperaturii
- ✓ Easy Iron
- ✓ Easy Case
- ✓ Pornire intarziata
- ✓ Program lana
- ✓ Certificat Woolmark

CARACTERISTICI

| | |
|--------------------------------|---------------------------|
| Nume produs | RP4 H7A2TRE-S |
| Codul produsului | 31102639 |
| Cod EAN | 8059019064000 |
| Producator | Candy Hoover Group S.r.l. |
| Model built-in / free-standing | Independent |
| Capacitate (bumbac) kg | 7 |
| Tipul uscatorului | Slim |

CARACTERISTICI TEHNICE

| | |
|------------------|--|
| Conectivitate | Control si continut avansat (Wi-Fi + BLUETOOTH®) |
| Aplicatie IoT | hOn |
| Material tambur | Galvanizat |
| Volum tambur (l) | 99 |

| | |
|----------------------|-----------------|
| Electronice | 5 digit display |
| Tip stecher | Schuko |
| Tensiune (V) | 220-240 |
| Pozitie rezervor apa | In door tank |
| Motor | AC |

PROGRAME SI FUNCTII

| | |
|----------------------------|-----------------|
| Indicator filtru blocat | Da |
| Selector timp uscare | Da |
| Indicator terminare ciclu | Da |
| Indicator rezervor plin | Da |
| Programmes number | 15+1 |
| Optiuni pornire intarziata | Yes (up to 24h) |
| Woolmark | Da |

ESTETICA

| | |
|------------------------|--------------------------|
| Culoare corp | Alb |
| Culoare / material usa | Anthracite |
| Ușă | Trasparent with Easycase |

ACCESORII

| | |
|--------------------------|----|
| Conducte apa de evacuare | Nu |
|--------------------------|----|

PERFORMANTA SI CONSUM

| | |
|---|------|
| Energy Efficiency Class | E |
| Weighted Energy Cons. per cycle (kWh) | 1,12 |
| Consumul de energie electrică uscător, sarcină totală - NOU (2010/30) | 1,8 |
| Condensation Efficiency Class | C |

| | |
|--|-----|
| Condensation Efficiency | 84 |
| Clasa de condensare eficienta | B |
| Acoustic Airborne Noise Emission Class | C |
| Acoustic Airborne Noise Emission dB(A) | 67 |
| Programme Duration (Rated) | 230 |

DIMENSIUNI

| | |
|---|------|
| Inaltime produs (mm) | 850 |
| Latime | 596 |
| Adancime totala (mm) | 486 |
| Adancime cabinet mm (fara furtun si hublou) | 465 |
| Inaltime produs ambalat (mm) | 890 |
| Latime produs ambalat (mm) | 650 |
| Adancime produs ambalat (mm) | 525 |
| Greutate bruta (kg) | 39,8 |
| Greutate neta (kg) | 38,3 |