

CANDY



RapidÓ

ROE H10A2TCEX-S

- ✓ Programe Rapide
- ✓ Sistem Heat Pump
- ✓ Extra continut in aplicatie
- ✓ Programe aditionale
- ✓ Easy Iron
- ✓ Easy Case
- ✓ Functia Memory
- ✓ Pornire intarziata
- ✓ Kilo detector
- ✓ Voice control
- ✓ Confort maxim
- ✓ Program lana
- ✓ Certificat Woolmark
- ✓ Uscare ghidata si sincronizata
- ✓ Noua experienta a uscarii

CARACTERISTICI

Nume produs /Cod comercial	ROE H10A2TCEX-S
Codul produsului	31102145
Cod EAN	8059019018959
Model built-in / free-standing	Independent
Tipul uscatorului	Pompa de caldura
Capacitate (bumbac) kg	10

CARACTERISTICI TEHNICE

Motor	AC
Conectivitate	Control si continut avansat (Wi-Fi + BLE)

IoT App	hOn
Material tambur	Inox
Volum tambur (l)	125
Pozitie rezervor apa	In door tank
Electronice	5 digit display
Tensiune (V)	220-240
Tip stecher	Schuko

PROGRAME SI FUNCTII

Woolmark	Da
Optiuni pornire intarziata	Yes (up to 24h)
Indicator terminare ciclu	Da
Nivel de umiditate selectabil	Da
Selector timp uscare	Da
Indicator filtru blocat	Da
Indicator rezervor plin	Da

ESTETICA

Ușă	Trasparent with Easycase
Culoare corp	Alb
Culoare / material usa	Cromat
Culoare / material maner	Cromat

ACCESORII

Conducte apa de evacuare	Nu
Rack pliabil	Nu

PERFORMANTE

Clasa de eficienta energetica - NEW (2010/30/EC)	A++
Consum energie anual total (kWh)	282
Nivel zgomot (dB(A) re 1 pW)	66
Clasa de condensare eficienta	B
Consumul de energie electrică uscător, sarcină totală - NOU (2010/30)	2,43
Consumul de energie electrica uscator, dogruz - NOU (2010)	1,21

DIMENSIUNI

Width of the product	596
Adancime (mm)	611
Cabinet depth mm (without pipes and door)	585
Inaltime produs ambalat (mm)	890
Latime produs ambalat (mm)	650
Adancime produs ambalat (mm)	620
Greutate bruta (kg)	41,4
Greutate neta (kg)	39,8