



H-WASH & DRY 300 LITE

H3D 4106TE/1-80

- \checkmark Kg mode
- \checkmark 9 care cycles

| H3D 4106TE/1-80 |
|-----------------|
| 31010878 |
| 8059019011028 |
| Freestanding |
| 10 |
| 6 |
| 1400 |
| |

| TECHNICAL FEATURES | |
|--------------------|---|
| оТ Арр | Wizard |
| Connectivity | Extra content and proximity control (NFC) |

| Electronic level | Touch |
|------------------|-----------------|
| Drum material | Stainless steel |
| Motor type | AC |
| Plug type | UK |
| Voltage (V) | 220-240 |

PROGRAMMES AND FUNCTIONS

| Woolmark Approved | Yes |
|----------------------|-----------------|
| Quick dry | Yes as program |
| Number of programmes | 15+1 |
| Start delay options | Yes (up to 24h) |
| Autodose | No |
| Steam programme | No |

| AESTHETIC | |
|----------------|-------|
| Colour | White |
| Colour of door | White |

| PERFORMANCE AND CONSUMPTION | |
|---|-----|
| Energy Efficiency Class EEIw | E |
| Energy Efficiency Class EEIwd | E |
| Spin-drying efficiency class | В |
| Weighted energy consumption [100 cycles W] | 90 |
| Weighted energy consumption [100 cycles WD] | 377 |
| Eco 40-60 Duration Full | 239 |
| Wash&Dry Duration Full | 470 |
| Noise level spinning (dB) (A) | 81 |
| Airborn acoustical noise emission class | D |

| Water consumption washin | g |
|--------------------------|---|
|--------------------------|---|

Water consumption W+D

| DIMENSIONS | |
|--|-----|
| Height of the product | 85 |
| Width of the product | 60 |
| Full depth (door and pipes included) | 58 |
| Cabinet depth (without pipes and door) | 510 |
| Packaged Product Height (mm) | 890 |
| Width of the packed product (mm) | 650 |
| Packaged Product Depth(mm) | 600 |
| Net weight (kg) | 65 |
| Gross weight (kg) | 67 |